




NFPA	WHMIS	PPE	Transport Symbol
			Not Regulated

Preparation Date 08-Dec-2006

Revision Date 20-Sep-2011

Revision Number 4

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** Ultra-Shield Dampproofing  
**Product Code** 1729-VUS  
**UN-No**  
**Contact Manufacturer**  
 GMX, Inc.  
 3800 East 91st Street  
 Cleveland, OH 44105  
 Ph: (216) 641-7502 Fax: (216) 641-0633

**Emergency Telephone Number** 1-800-762-8225 (24 Hrs.)

## 2. HAZARDS IDENTIFICATION

### Emergency Overview

Irritant

**Appearance** Black.

**Physical State** Liquid.

**Odor** Slight. Odor.

**Mexico - Grade** Slight risk, Grade 1

### Potential Health Effects

**Principle Routes of Exposure** Skin contact, Eye contact, Inhalation, Ingestion.

### Acute Effects

**Eyes**

Avoid contact with eyes. Moderately irritating to the eyes. May cause corneal damage..

**Skin**

Avoid contact with skin. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May cause sensitization by skin contact.

**Inhalation**

May cause irritation of respiratory tract.

**Ingestion**

Harmful if swallowed. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Chronic Effects

Prolonged exposure may cause chronic effects. Repeated contact may cause allergic reactions in very susceptible persons.

See Section 11 for additional Toxicological information.

**Main Symptoms** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

**Aggravated Medical Conditions** Skin disorders.

**Interactions with Other Chemicals** Not available

**Potential Environmental Effects** See Section 12 for additional Ecological information.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous Components

Chemical Name	CAS-No	Weight %	North American Hazard Indicator
Petroleum Asphalt	8052-42-4	60 - 100	1
Stoddard solvent	8052-41-3	0.1 - 1	1

### 4. FIRST AID MEASURES

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin Contact** Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. If symptoms persist, call a physician.

**Ingestion** Call a physician or Poison Control Center immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice.

**Notes to Physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media** Carbon dioxide (CO<sub>2</sub>). Foam. Dry powder. Dry chemical.

**Unsuitable Extinguishing Media** Do not use a solid water stream as it may scatter and spread fire.

**Hazardous Combustion Products** Carbon monoxide, Carbon dioxide (CO<sub>2</sub>), Hydrocarbons.

**Explosion Data**

<b>Sensitivity to mechanical impact</b>	No
<b>Sensitivity to static discharge</b>	No

#### Specific Hazards Arising from the Chemical

No information available.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA****Health 1****Flammability 0****Instability 0**

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions</b>	Evacuate personnel to safe areas.
<b>Environmental Precautions</b>	Prevent further leakage or spillage if safe to do so. Keep out of waterways.
<b>Methods for Containment</b>	Dike with inert absorbent material
<b>Methods for Cleaning Up</b>	Take precautionary measures against static discharges. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal.
<b>Other Information</b>	Not applicable

## 7. HANDLING AND STORAGE

<b>Handling</b>	Avoid contact with skin and eyes. Ensure adequate ventilation.
<b>Storage</b>	Keep container tightly closed. Keep in properly labeled containers. Keep out of the reach of children.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	Ontario TWAEV	Mexico
Petroleum Asphalt	TWA: 0.5 mg/m <sup>3</sup>		TWA: 0.5 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Stoddard solvent	TWA: 100 ppm	TWA: 2900 mg/m <sup>3</sup> TWA: 500 ppm	TWA: 525 mg/m <sup>3</sup>	STEL: 200 ppm STEL: 1050 mg/m <sup>3</sup> TWA: 523 mg/m <sup>3</sup> TWA: 100 ppm

Chemical Name	NIOSH IDLH
Stoddard solvent	20000 mg/m <sup>3</sup>

**Engineering Measures** Do not allow ventilation equipment to draw material odors indoors..

### Personal Protective Equipment

<b>Eye/face Protection</b>	Safety glasses with side-shields
<b>Skin Protection</b>	Impervious gloves. Long sleeved clothing.
<b>Respiratory Protection</b>	No special protective equipment required.

### **Hygiene Measures**

Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Black
<b>Odor</b>	Slight Odor

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical State</b>	Liquid	
<b>pH</b>	pH	
<b>Flash Point</b>	> 400°F / > 204°C	
<b>Autoignition Temperature</b>	> 400°F / > 204°C	
<b>Boiling Point/Range</b>	212°F / 100°C	
<b>Freezing Point</b>	32 °F / 0 °C	
<b>Flammability Limits in Air</b>	<b>Lower</b> Not available	<b>Upper</b> Not available
<b>Explosive Properties</b>	Not available	
<b>Oxidizing Properties</b>	Not available	
<b>Evaporation Rate</b>	Not available	
<b>Vapor Pressure</b>	Not available	
<b>Vapor Density</b>	>1.0 @ Air = 1	
<b>Specific Gravity</b>	>1.0	
<b>Solubility</b>	partly miscible	
<b>Water Solubility</b>	Insoluble	
<b>Volatiles</b>	Not available	
<b>VOC Content</b>	5 g/L	

## 10. STABILITY AND REACTIVITY

<b>Stability</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	No information available.
<b>Incompatible Materials</b>	No materials to be especially mentioned.
<b>Hazardous Decomposition Products</b>	Carbon monoxide. Carbon dioxide (CO <sub>2</sub> ). Hydrocarbons.
<b>Possibility of Hazardous Reactions</b>	Hazardous polymerization does not occur

## 11. TOXICOLOGICAL INFORMATION

### Acute Toxicity

#### Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90 mL/kg Rat		
Petroleum Asphalt	5000 mg/kg Rat	2000 mg/kg Rabbit	
Isoparaffinic solvent	5000 mg/kg Rat	2000 mg/kg Rabbit	5.2 mg/L Rat 4 h

### Chronic Toxicity

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Isoparaffinic solvent**Water Flea Data***Den-dronereides heteropoda* LC50=4720 mg/L (96 h)

<b>Persistence/Degradability</b>	Not available
<b>Bioaccumulation/ Accumulation</b>	Not available
<b>Mobility in Environmental Media</b>	Not available

Petroleum Asphalt**log Pow = 6**

## 13. DISPOSAL CONSIDERATIONS

<b>Waste Disposal Method</b>	Dispose of in accordance with local, state, and federal regulations
<b>Contaminated Packaging</b>	Empty containers should be taken for local recycling, recovery or waste disposal
<b>US EPA Waste Number</b>	Not available

## 14. TRANSPORT INFORMATION

<b><u>DOT</u></b>	Not Regulated
<b>Hazard Class</b>	
<b>Subsidiary Class</b>	
<b>UN-No</b>	
<b>Packing Group</b>	
<b>Reportable Quantity (RQ)</b>	
<b>Special Provisions</b>	Not Regulated for non-bulk packaging of 450 liters (119 gallons) or less (DOT 49 CFR 173.150(f))
<b><u>TDG</u></b>	Not regulated
<b>Hazard Class</b>	
<b>Subsidiary Class</b>	
<b>UN-No</b>	
<b>Packing Group</b>	
<b><u>MEX</u></b>	Not regulated
<b>Hazard Class</b>	
<b>Subsidiary Class</b>	
<b>UN-No</b>	
<b>Packing Group</b>	
<b><u>ICAO</u></b>	Not regulated
<b>UN-No</b>	
<b>Hazard Class</b>	
<b>Subsidiary Class</b>	
<b>Packing Group</b>	

<b>14. TRANSPORT INFORMATION</b>
----------------------------------

**IATA** Not regulated

UN-No  
Hazard Class  
Subsidiary Class  
Packing Group  
ERG Code

**IMDG/IMO** Not regulated

Hazard Class  
Subsidiary Class  
UN-No  
Packing Group  
EmS No.

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	CHINA	KECL	PICCS	AICS
Water	X	X	-	X	-	-	X	X	X	X
Petroleum Asphalt	X	X	-	X	-	-	X	X	X	X
Isoparaffinic solvent	X	X	-	X	-	-	X	X	X	X
Stoddard solvent	X	X	-	X	-	-	X	X	X	X
Synthetic resin	X	X	X	X	X	X	X	X	X	X
Polymethoxy bicyclic oxazolidine	X	X	X	X	X	X	X	X	X	X

TSCA Complies  
DSL Complies  
NDSL Complies  
EINECS Complies  
ELINCS Complies  
ENCS Complies  
CHINA Complies  
KECL Complies  
PICCS Complies  
AICS Complies

**USA****Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372.

**Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)**

This product does not contain any HAPs.

**State Regulations**

**California Proposition 65**

WARNING: This product contains a chemical(s) known to the State of California to cause cancer.

**State Right-to-Know**

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Petroleum Asphalt	X	X	X		X
Stoddard solvent	X	X	X		X

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

**WHMIS Hazard Class**

D2B Toxic materials

16. OTHER INFORMATION
-----------------------

Preparation Date                      08-Dec-2006

Revision Date                            20-Sep-2011

Revision Summary                        Not available

## Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**